

7 Extra opgaven: herhaling

Opgave 7.1. Schrijf zonder gebroken of negatieve machten

- | | | |
|-----------------------|--|---|
| a. $2^{\frac{1}{2}}$ | e. $2^{\frac{2}{3}}$ | i. $\left(\frac{1}{2}\right)^{\frac{1}{3}}$ |
| b. 2^{-1} | f. $\left(\frac{1}{2}\right)^{\frac{1}{2}}$ | j. $\left(\frac{1}{2}\right)^{\frac{2}{3}}$ |
| c. $2^{-\frac{1}{2}}$ | g. $\left(\frac{1}{2}\right)^{-1}$ | k. $\sqrt{2^{\frac{2}{3}}}$ |
| d. $2^{\frac{1}{3}}$ | h. $\left(\frac{1}{2}\right)^{-\frac{1}{2}}$ | |

Opgave 7.2. Bereken

- | | | |
|----------------------------|--------------------------------------|-----------------------------------|
| a. ${}^7\log 7$ | e. ${}^3\log \frac{1}{3}$ | i. ${}^2\log \frac{2}{\sqrt{32}}$ |
| b. ${}^7\log 1$ | f. ${}^4\log \frac{1}{\sqrt[3]{16}}$ | j. ${}^4\log 2$ |
| c. ${}^5\log 125$ | g. ${}^2\log \sqrt{8}$ | k. $\frac{1}{2}\log 4$ |
| d. ${}^{11}\log \sqrt{11}$ | h. ${}^3\log 3\sqrt{3}$ | l. $\frac{1}{4}\log \sqrt{2}$ |

Opgave 7.3. Los op

- | | | |
|----------------------|---------------------------|----------------------------|
| a. $x^2 = 6$ | f. $x^{\frac{4}{5}} = 6$ | k. $5^x = -6$ |
| b. $\sqrt{x} = 6$ | g. $x^{-\frac{4}{5}} = 6$ | l. ${}^5\log x = -6$ |
| c. $\frac{1}{x} = 6$ | h. $x^2 = -6$ | m. $x^{\frac{4}{5}} = -6$ |
| d. $5^x = 6$ | i. $\sqrt{x} = -6$ | n. $x^{-\frac{4}{5}} = -6$ |
| e. ${}^5\log x = 6$ | j. $\frac{1}{x} = -6$ | o. $x^3 = -6$ |

Opgave 7.4. Los op

- | | |
|---------------------------------|---|
| a. $3^x - x \cdot 3^x = 0$ | c. $5x \cdot {}^5\log x + x^2 \cdot {}^5\log x = 0$ |
| b. $x \cdot {}^2\log x - x = 0$ | d. ${}^3\log x + ({}^3\log x)^2 = 0$ |

Opgave 7.5. Los op

- | | |
|-----------------------------|----------------------------|
| a. $-x^2 + 3x - 2 < 0$ | d. $3^x - 2 > 0$ |
| b. $x^3 - 5x^2 + 6x \geq 0$ | e. $x^4 - 2x^2 \geq 0$ |
| c. $(x-1)(x+1)(x+2) \geq 0$ | f. $(4-x)(2^x - 1) \geq 0$ |

Opgave 7.6. Vereenvoudig

- | | |
|-------------------------------------|---|
| a. $\frac{x^2 + 3x}{x^2 - 5x}$ | c. $\frac{(x+4)(4x-x^2) + (x^3+8x)(4+x)^2}{x(x+4)^6}$ |
| b. $\frac{(x+2)5^x - (x+2)^2}{x+2}$ | d. $\frac{(3-x)2^x + (x-3)2^{x+1}}{(3-x)^2 2^x}$ |

7 Antwoorden extra opgaven: herhaling

Opgave 7.1.

- | | | |
|-------------------------|-------------------------|----------------------------|
| a. $\sqrt{2}$ | e. $\sqrt[3]{4}$ | i. $\frac{1}{\sqrt[3]{2}}$ |
| b. $\frac{1}{2}$ | f. $\frac{1}{\sqrt{2}}$ | j. $\frac{1}{\sqrt[3]{4}}$ |
| c. $\frac{1}{\sqrt{2}}$ | g. 2 | k. $\sqrt[3]{2}$ |
| d. $\sqrt[3]{2}$ | h. $\sqrt{2}$ | |

Opgave 7.2.

- | | | |
|------------------|-------------------|-------------------|
| a. 1 | e. -1 | i. $-\frac{3}{2}$ |
| b. 0 | f. $-\frac{2}{3}$ | j. $\frac{1}{2}$ |
| c. 3 | g. $\frac{3}{2}$ | k. -2 |
| d. $\frac{1}{2}$ | h. $\frac{3}{2}$ | l. $-\frac{1}{4}$ |

Opgave 7.3.

- | | | |
|----------------------|--|---------------------------------|
| a. $x = \pm\sqrt{6}$ | f. $x = 6^{\frac{5}{4}} = 6\sqrt[4]{6}$ | k. geen oplossingen |
| b. $x = 36$ | g. $x = 6^{-\frac{5}{4}} = \frac{1}{6\sqrt[4]{6}}$ | l. $x = 5^{-6} = \frac{1}{5^6}$ |
| c. $x = \frac{1}{6}$ | h. geen oplossingen | m. geen oplossingen |
| d. $x = {}^5\log 6$ | i. geen oplossingen | n. geen oplossingen |
| e. $x = 5^6$ | j. $x = -\frac{1}{6}$ | o. $x = -\sqrt[3]{6}$ |

Opgave 7.4.

- | | |
|------------|--|
| a. $x = 1$ | c. $x = 1$ ($x = 0$ en $x = -5$ kunnen niet door ${}^5\log$) |
| b. $x = 2$ | d. $x = 1$ of $x = \frac{1}{3}$ |

Opgave 7.5.

- | | |
|--------------------------------------|---|
| a. $x < 1$ of $x > 2$ | d. $x > {}^3\log 2$ |
| b. $0 \leq x \leq 2$ of $x \geq 3$ | e. $x \leq -\sqrt{2}$ of $x = 0$ of $x \geq \sqrt{2}$ |
| c. $-2 \leq x \leq -1$ of $x \geq 1$ | f. $0 \leq x \leq 4$ |

Opgave 7.6.

- | | |
|--------------------------------|---|
| a. $\frac{x+3}{x-5}, x \neq 0$ | c. $\frac{(4-x) + (x^2+8)(4+x)}{(x+4)^5}, x \neq 0$ |
| b. $5^x - x - 2, x \neq -2$ | d. $\frac{-1}{3-x}$ |